

# Alston & Bird LLP

Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
(704) 444-1000  
Fax (704) 444-1111

June 10, 2008

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: United States Patent for *Demand Aggregation And Distribution System*  
Application No. 09/438,957; Filed November 12, 1999  
Patent No. 7,376,611; Issued May 20, 2008  
Our File 023895/257368

---

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,



Trent A. Kirk  
Registration No. 54,223

TAK:mf  
Enclosure

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,376,611

Page 1 of 1

APPLICATION NO. : 09/438,957

ISSUE DATE : May 20, 2008

INVENTOR(S) : Jones

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9,

Line 45, "in formation" should read --information--.

Column 10,

Line 45, "navel" should read --travel--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000